

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: PROCYCLE BREMSFLÜSS. DOT 4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Brake fluid

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier Fuchs Schmierstoffe GmbH

> Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact Person: Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone: +49 621 3701-1333 Fax: +49 621 3701-7303

E-mail: produktsicherheit-FS@fuchs.com

1.4 Emergency telephone number: +49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Toxic to reproduction Category 2 H361d: Suspected of damaging the unborn child.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Contains: Triethylene glycol monomethyl ether borate

Issue Date: 20.10.2015 Revision Date: 23.10.2019

Print date: 28.10.2019

SDS_GB - EN - 000000000601107153

Version: 2.1





Signal Words: Warning

Hazard Statement(s): H361d: Suspected of damaging the unborn child.

Precautionary Statements

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of the substances listed below with harmless additions.

Chemical name	Identifier		REACH Registration No.	Notes
Triethylene glycol monomethyl ether borate	EINECS: 250-418-4	>=30,00 - <50,00%		
Glycol ether derivative	EC: 907-996-4	- /	01-2119475115-41 01-2119531322-53	
Diglycol	EINECS: 203-872-2	>=1,00 - <10,00%	01-2119457857-21	
Amine, aliphatic	EINECS: 203-820-9	>=1,00 - <5,00%	01-2119475444-34	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019 SDS_GB - EN - 000000000601107153

Revision Date: 23.10.2019 Version: 2.1
Print date: 28.10.2019

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier		Classification		
Triethylene glycol monomethyl ether borate	EINECS: 250-418-4	CLP:	Repr. 2;H361d		
Glycol ether derivative	EC: 907-996-4	CLP:	Eye Dam. 1;H318		
Diglycol	EINECS: 203-872-2	CLP:	Acute Tox. 4;H302		
Amine, aliphatic	EINECS: 203-820-9	CLP:	Eye Irrit. 2;H319		

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eve contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

SDS_GB - EN - 000000000601107153



Special protective

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

equipment for fire-fighters:

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow

to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to

regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section

7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities: Store locked up. Local regulations concerning handling and storage of

waterpolluting products have to be followed.

7.3 Specific end use(s): Not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

•	vocapational Exposure Emitte							
	Chemical name	Туре	pe Exposure Limit Values		Source			
	Diglycol	TWA	23 ppm	101 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)			

8.2 Exposure controls

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

SDS_GB - EN - 000000000601107153



Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with

skin and eyes. Goggles/face shield are recommended. If risk of splashing,

wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile-butadiene rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid Color: Pale yellow Odor: Characteristic

Odor Threshold: Not applicable for mixtures

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

SDS_GB - EN - 000000000601107153

Version: 2.1



pH: 8,0 (DIN 51369, 1.000 g/l, 20 °C)

Freezing point: $< -70 \, ^{\circ}\text{C}$ Boiling Point: $> 260 \, ^{\circ}\text{C}$ Flash Point: $> 125 \, ^{\circ}\text{C}$

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas):

Value not relevant for classification

Vapor pressure:Not applicable for mixturesVapor density (air=1):Not applicable for mixturesDensity:1,05 g/cm3 (15 °C) (DIN 51757)

Solubility(ies)

Solubility in Water: Soluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

Kinematic viscosity: 8 mm2/s (40 °C, DIN 51562)

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Thermal decomposition or combustion may liberate carbon oxides and

Products: other

other toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: > 2.000 mg/kg

ATEmix: 11.313,13 mg/kg

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

Print date: 28.10.2019 SDS_GB - EN - 00000000601107153



Specified substance(s)

Glycol ether derivative LD 50 (Rat): > 5.000 mg/kg

Diglycol LD 50 (Rat): 12.565 mg/kg

LD 50 (Human): 1.120 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Not classified for acute toxicity based on available data.

Specified substance(s)

Glycol ether derivative LD 50 (Rabbit): 3.540 mg/kg

Diglycol LD 50 (Rabbit): 11.890 mg/kg

Amine, aliphatic LD 50 (Rabbit): 8.000 mg/kg

Inhalation

Product:

Not classified for acute toxicity based on available data.

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Triethylene glycol

OECD 404 (Rabbit):

monomethyl ether borate Not irritant.

Diglycol OECD 404 (Rabbit):

Not irritant.

Amine, aliphatic OECD 404 (Rabbit):

Not irritant.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

Triethylene glycol OECD 405 (Rabbit):

monomethyl ether borate Not irritant.

Amine, aliphatic OECD 405 (Rabbit):

Irritating.

Issue Date: 20.10.2015 Revision Date: 23.10.2019

Print date: 28.10.2019

SDS_GB - EN - 000000000601107153



Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Triethylene glycol

monomethyl ether borate No sensitizing effect (guinea pig); OECD 406

Glycol ether derivative

No sensitizing effect (guinea pig); OECD 406

Diglycol

No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.Based on

available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met. Based on

available data, the classification criteria are met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.Based on

available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.Based on

available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met. Based on

available data, the classification criteria are not met.

Fish

Product: LC 50 (Fish, 96 h): 250 - 350 mg/l

Aquatic Invertebrates Specified substance(s)

SDS_GB - EN - 000000000601107153

Triethylene glycol EC 50 (Water Flea, 48 h): > 211,2 mg/l (OECD 202)

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

Revision Date: 23.10.2019 Version: 2.1



monomethyl ether borate

Diglycol EC 50 (Water Flea, 48 h): > 10.000 mg/l

Amine, aliphatic EC 50 (Water Flea, 48 h): 277,7 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.Based on

available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Triethylene glycol monomethyl ether borate

EC 50 (Alga, 72 h): > 224,4 mg/l (OECD 201)

Amine, aliphatic EC 50 (Alga, 72 h): 339 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

Triethylene glycol > 70 % (10 d, OECD 301A)

monomethyl ether borate

Diglycol 92 % (28 d, OECD 301A)

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

Water Hazard Class

WGK 1: slightly water-endangering.

(WGK):

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

16 01 13*: brake fluids

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019 SDS_GB - EN - 000000000601107153

Revision Date: 23.10.2019 Version: 2.1



SECTION 14: Transport information

ADR/RID 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Non-dangerous goods Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: **ADN** 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Non-dangerous goods Label(s): 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: **IMDG** 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Non-dangerous goods Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user: IATA 14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

14.5 Environmental hazards:14.6 Special precautions for user:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Label(s): 14.4 Packing Group:

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019 SDS_GB - EN - 000000000601107153

Revision Date: 23.10.2019 Version: 2.1



Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

National Regulations

Water Hazard Class

(WGK):

WGK 1: slightly water-endangering.

15.2 Chemical safety

assessment:

No Chemical Safety Assessment has been carried out. No Chemical Safety

Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Other information: The classification complies with the current EU lists; however, it has been

supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the

application of the conventional method.

Revision Date: 23.10.2019

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for

the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 20.10.2015 Revision Date: 23.10.2019 Print date: 28.10.2019

SDS_GB - EN - 000000000601107153

Version: 2.1